

Greater Heretaunga and Ahuriri  
Land and Water Management  
Collaborative Stakeholder (TANK)  
Group



**Meeting 42:  
26 July 2018**

# Karakia

Ko te tumanako

Kia pai tenei rā

Kia tutuki i ngā wawata

Kia tau te rangimarie

I runga i a tatou katoa

Mauriora kia tatou katoa

Āmine

Water is a taonga

# Agenda

8:00am **COFFEE & TEA**  
8:30am Welcome & Notices - Robyn  
8:35am Objectives for today - Mary-Anne  
8:40am TANK Update – James Palmer/Tom Skerman  
9:00am Stormwater Update – Rina Douglas  
9:30am JWG Recommendations – Craig Thew/Nick Jones

**10:15am MORNING TEA**  
10:30am JWG Recommendations continued– Craig Thew/Nick Jones  
11:00am Water Quality Attributes – Sandy Haidekker  
11:45am Covering Report & Draft Plan – Mary-Anne

**12:15pm LUNCH**  
1:00pm Covering Report & Draft Plan continued - Mary-Anne  
2:45pm Implementation Plan – Ceri Edmonds

**3:00pm COFFEE BREAK**  
3:30pm Beyond TANK 42 – Ceri  
3:45pm Minutes meeting 40 – Ceri  
4:00pm Any further Items

4:30pm **CLOSE MEETING**

Introductions  
Apologies  
Housekeeping  
Recording

# Engagement etiquette

- Be an active and respectful participant / listener
- Share air time – have your say and allow others to have theirs
- One conversation at a time
- Ensure your important points are captured
- Please let us know if you need to leave the meeting early

# Ground rules for observers

- RPC members are active observers by right (as per ToR)
- Pre-approval for other observers to attend should be sought from Robyn Wynne-Lewis (prior to the day of the meeting)
- TANK members are responsible for introducing observers and should remain together at break out sessions
- Observer's speaking rights are at the discretion of the facilitator and the observer should defer to the TANK member whenever possible.

# Notices and announcements

# Meeting objectives

- To review and consider the stormwater rules – identify where there are areas of consensus, propose alternatives and solutions where there is non-consensus;
- To receive the recommendations presented by the JWG;
- To understand the revised Water Quality Attribute Table 1 and new Table 2;
- Review the covering report and the Draft Plan Change – Identify any outstanding issues/problems and identify where there is non-consensus;
- Receive the draft maps and provide comment; and
- Review the final draft of the Implementation Plan – identify further suggestions.



# Action points- Meeting 41

ID	Action item	Person responsible	Status
41.1	Dr Garry McDonald to check the figures presented in his presentation in relation to the Nimmo-Bell results.	Garry McDonald via Ceri Edmonds	Email clarification circulated 10 July

# Stormwater Policy and Rules

Rina Douglas  
Senior Planner



# RECAP

- At the Feb 22 2018 meeting the TANK group agreed “that the policy and rules outlined in: “Draft Stormwater Rules; Discussion Document” be further developed with input by NCC and HDC”.
- Draft rules and policies were circulated amongst the group: Thank you for the feedback that was received
- Several meetings have been held since then to refine proposals, the most recent of which was Tuesday
- 4 draft rules

# Rule 1: small-scale residential activities

- New and existing small-scale residential activities (note definition still being refined)
- Diversion and discharge of SW into water or onto land is permitted
- Subject to conditions i.e. no scouring and erosion, no hazardous substances etc.
- Discharge is not permitted if there is a TLA reticulation option present.

## Rule 2: TLA networks

- Diversion and discharge of SW from an existing or new TLA managed SW network
- TLAs will be required to submit for the approval of Council an Integrated Catchment Management Plan
- This plan will capture such as monitoring of water quality, identification of priority streams or catchments, identification of measures to demonstrate the discharge will not contain hazardous substances and contaminants
- This will be a controlled activity

# Rule 3: low risk industrial or trade premises

- What constitutes low risk is still subject to refinement. Table 3.1 of the Waterways Design Guidelines is a starting point
- Controlled
- Note if the premises is located over a Source Protection Zone, regardless of being low risk = becomes Restricted Discretionary Activity

# Rule 4: high and medium risk industrial or trade premises (and low risk over an SPZ)

- What constitutes high and medium is subject to refinement. Table 3.1 of the Waterways Design Guidelines is a starting point
- Restricted Discretionary
- Required to prepare an Urban Environment Site Management Plan which outlines measures such as stormwater management devices, use of best practice treatment
- Where the premises is located on an SPZ, Council can control: the appropriateness of measures, the effect of the activity, assess the potential for the purpose activity to increase risks etc.
- Note if the premises is low risk and is located over a Source Protection Zone= Restricted Discretionary activity

# Summary of outstanding matters

- The definition of small-scale, residential activity
- Overhaul of Table 3.1 which sets out what are low, medium and high risk activities



Do you agree with the draft Rules?

Or

Agree subject to further work?

Or??

# JWG Recommendations

Craig Thew & Dr Nick Jones

# Water Quality Attributes Table

Sandy Haidekker

# Draft Plan and Covering Report

Mary-Anne Baker

# Draft Implementation Plan

Ceri Edmonds

# Implementation Plan Input

- TANK members input, including but not limited to....
  - Meeting 41 verbal comments
  - Emails
  - Treaty Partners and other Working group meetings
- HBRC Staff
- Community and Farmer reference groups
- Consultants input
  - Dr Cole, Justin Connolly, Peter Constantine
- Industry Representatives
  - Hort NZ, Beef + Lamb

# Beyond TANK 40

## **TANK Celebration**

Thursday 9 August

3pm to 5pm

Ellwood Function Centre

# Closing Karakia

Nau mai rā

Te mutu ngā o tatou hui

Kei te tumanako

I runga te rangimarie

I a tatou katoa

Kia pai to koutou haere

Mauriora kia tatou katoa

Āmine